



F
E
A
T
U
R
E

F
L
O
O
R
S


600mm x 600mm **VOL. 2**




CFF 6060028

QUADRO VERDE



FEATURE
FLOORS






CFF 6060033

SIERRE GREY




CFF 6060032

STREAKS ARANCIO



FEATURE
FLOORS




CFF 6060030

MODULO ROSSO

FEATURE
FLOORS






CFF 6060031

STREAKS AZUL


FEATURE
FLOORS





CFF 6060029

QUADRO GRIGIO




CFF 6060038

TERRA OLIVIA

This earthy colour is a great choice for rustic or natural settings, as well as bohemian decors. It is popular in terrestrial or terrene areas, and also as flooring for enclosed porches. Warmer than other colors, it is also perfect for home earth tone decor.




FEATURE
FLOORS




CFF 6060034

CUBIQUE STEEL

FEATURE
FLOORS







CFF 6060036

VERONA MIX

FEATURE
FLOORS






CFF 6060037


TERRA BLU

In its natural state, terracotta is a lovely mix of red and earthen hues, which washes in swooping clouds of colour creating unique yet subdued images across the surface. They can be used in multiple indoor and outdoor applications to give a raw and rustic aesthetic.




CFF 6060035

CUBIQUE AQUA




FEATURE
FLOORS




CFF 6060041

PORTO GRIGIO




CFF 6060040

METALINEA GRIGIO





FEATURE
FLOORS




CFF 6060039 TERRAQUA

Terracotta tends to have an old world charm that can be swept across a room when it is used as flooring. The material has a rough, rustic feel to it, which is both rugged and subdued all at once with a beautiful aqua colour stud which provides a consistent and subtle look for earthen decor and interiors.




CFF 6060053 MATRIX BROWN



FEATURE
FLOORS






CFF 6060043

CUPOLA GREY

FEATURE
FLOORS





CFF 6060045

FLEUR NERO

FEATURE
FLOORS





CFF 6060044

CUPOLA BLU

FEATURE
FLOORS





CFF 6060055

COTTAGE GREY



CFF 6060049

NUANCE GOLD

FEATURE
FLOORS






CFF 6060050 MELANGE GREY



CFF 6060042 PORTO MARRONE




FEATURE
FLOORS



CFF 6060048

NUANCE BLACK




CFF 6060047

INDIANA BROWN




FEATURE
FLOORS



CFF 6060052 MATRIX GREY



CFF 6060051 MELANGE COTTO



FEATURE
FLOORS



CFF 6060054

COTTAGE BROWN


FEATURE
FLOORS





TECHNICAL SPECIFICATIONS

CHARACTERISTIC			
DIMENSION & SURFACE QUALITY	International Specifications ISO 13006/EN 176 Group & IS 15622 : 2006	VALUE	METHOD OF TESTING
■ Deviation In Length	±0.6%	±0.1%	ISO 10545 Pt 2
🔧 Deviation In Thickness	±5%	±2%	ISO 10545 Pt 2
■ Straightness Of Sides	±0.5%	±0.1%	ISO 10545 Pt 2
■ Rectangularity	±0.6%	±0.2%	ISO 10545 Pt 2
↔ **Surface Flatness	±0.5%	±0.2%	ISO 10545 Pt 2
✦+ **Glossiness	-	Min. 90% Reflection	Glossmeter
PHYSICAL & THERMAL PROPERTIES			
💧 Water Absorption	<0.5%	<0.05%	ISO 10545 Pt 3
🔪 Mohs Hardness*	>6	6	EN 101
✂ Flexural Strength	35 N/mm ²	>46 N/mm ²	ISO 10545 Pt 4
🌀 Abrasion Resistance**	<175 mm ³	<144 mm ³	ISO 10545 Pt 7
👉 **Skid Resistance (Friction Coefficient)	>0.4	>0.4	ISO 10545 Pt 17
📏 Breaking Strength	1113 N	2800 N	ISO 10545 Pt 4
⚖ Density (g/cc)	>2.0	>2.4	ISO 10545 Pt 3
❄ Frost Resistance	Frost Proof	Frost Proof	ISO 10545 Pt 9
☀ Thermal Shock Resistance	No Damage	No Damage	ISO 10545 Pt 9
↔ Thermal Expansion	<9 x 10 ⁻⁶	<6 x 10 ⁻⁶	ISO 10545 Pt 8
💧 Moisture Expansion	Nil	Nil	ISO 10545 Pt 10
CHEMICAL PROPERTIES			
🧪 Chemical Resistance	No Damage	No Damage	ISO 10545 Pt 13
☀ Colour Resistance	No Damage	No Damage	DIN 51094
👉 Stain Resistance	Resistant	Resistant	ISO 10545 Pt 14



CFF 6060046

INDIANA GRIGIO



FEATURE
FLOORS



PACKING DETAILS

Dimensions in MM	Thickness	Pieces/Box	Area Coverage	Weight
600x600mm	10mm	03 pcs	1.08 sq. mtr.	24 kgs (Approx.)



**MYLUXURY
FLOORING.COM**