

The design features two large, stylized orange shapes that resemble the top and bottom halves of a floor tile. The top half has a flat top and a curved, downward-pointing bottom edge. The bottom half has a curved, upward-pointing top edge and a flat bottom. The two halves are positioned to suggest they would meet at a central point.

FEATURE FLOORS VOL.3

600mm x 600mm



FEATURE

F L O O R S VOL.3


Area of Application (Low to Medium Traffic Areas)



• Hotel • Bedroom • Cafeteria • Bathroom • Kitchen • Business • Shop • Restaurant • Living


Finish/Look

• Wood Look • Metallic • Color look • Stone / Concrete Block look • Texture Look • 3D Undulation




CFF 6060056

CHIC BLU



CFF 6060057


CHIC ROSA



CFF 6060058


CHIC NERO





CFF 6060059

FORMAS MULTI




CFF 6060060

FORMAS AZUL







CFF 6060061 METALLICA BEIGE




CFF 6060062 METALLICA GREY






CFF 6060063


LISTELLO ASH




CFF 6060064


LISTELLO MOKA





CFF 6060065 HERITAGE VERDE CFF 6060066 HERITAGE AZUL CFF 6060067 HERITAGE COTTO





CFF 6060068

SLICK SILVER



CFF 6060069

SLICK GOLD



CFF 6060070

SLICK BRONZE






CFF 6060071



NEXA GRIGIO CFF 6060072



NEXA GIALLO CFF 6060073
NEXA ARANCIO





CFF 6060074

ARTE BOLD



CFF 6060075

ARTE SOMBRE





CFF 6060076


STELLA NOIR



CFF 6060077


STELLA VERDE







CFF 6060078

REGALE GOLD



CFF 6060079

REGALE BRONZE





CFF 6060080 TEXTILE AZURE



CFF 6060081 TEXTILE ARANCIO






CFF 6060082 WOODLANDS TEAK



CFF 6060083 WOODLANDS OAK





CFF 6060084

TERROSA BEIGE



CFF 6060085

TERROSA BLU





CFF 6060086

ARENA MIX



CFF 6060087

ARENA COTTO



CFF 6060088

ARENA GRIGIO





CFF 6060089

ORNATE VERDE



CFF 6060090

ORNATE COTTO



CFF 6060091

ORNATE AZUL






CFF 6060092


MARBELO NERO



CFF 6060093


MARBELO MOKA





CFF 6060094

NOVA BROWN



CFF 6060095

NOVA BLACK



TECHNICAL SPECIFICATION

DIMENSION & SURFACE QUALITY	International Specifications ISO 13006/EN 176 Group & IS 15622 : 2006	VALUE	METHOD OF TESTING
 Deviation In Length	±0.6%	±0.2%	ISO 10545 - 2
 Deviation In Thickness	±5%	±5%	ISO 10545 - 2
 Straightness Of Sides	±0.5%	±0.2%	ISO 10545 - 2
 Rectangularity	±0.6%	±0.3%	ISO 10545 - 2
 **Surface Flatness	±0.5%	±0.3%	ISO 10545 - 2
 Surface Quality	A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles		ISO 10545 - 2
PHYSICAL & THERMAL PROPERTIES			
 Water Absorption	<0.5%	>0.2%	ISO 10545 - 3
 Mohs Hardness*	>6	Compliant	EN 101
 Modulus of Rupture	35 N/mm ²	>46 N/mm ²	ISO 10545 - 4
 Abrasion Resistance**	<175mm ³	<144 mm ³	ISO 10545 - 7
 **Skid Resistance (Friction Coefficient)	>0.4	>0.4	ISO 10545 - 17
 Breaking Strength	Min 1300 N	> 2000 N	ISO 10545 - 4
 Density (g/cc)	>2.0	>2.4	ISO 10545 - 3
 Frost Resistance	Required	Compliant	ISO 10545 - 9
 Thermal Shock Resistance	10 Cycles Min	Compliant	ISO 10545 - 9
 Thermal Expansion	<9 x 10 ⁻⁶	<6 x 10 ⁻⁶	ISO 10545 - 8
 Moisture Expansion	Nil	Nil	ISO 10545 - 10
CHEMICAL PROPERTIES			
 Chemical Resistance	No Damage	No Damage	ISO 10545 - 13
 Colour Resistance	No Damage	No Damage	DIN 51094
 Stain Resistance	Resistant	Resistant	ISO 10545 - 14

PACKING DETAILS							
Dimensions in MM	Thickness	Pieces/Box	Area Coverage/Box	KG/Box	Boxes/Pallet	SQM/Pallet	KGs/Pallet*
600 X 600	9 mm	3	1.08 sq. mtr	24 Kg (App.)	34	36.72	816(Appx.)

*Gross Weight

Note: It is strongly recommended to use spacers. Leave min 2MM gap between adjacent tiles to allow possible expansion as well as to enhance aesthetics of laying.

